

10070531



15w

Cat C #

PATENT
Attorney Docket No. P06366US01

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENTEE: YEUNG et al.
PATENT NO: 6,788,414 B1
ISSUED: September 7, 2004
TITLE: METHOD OF ANALYZING MULTIPLE SAMPLES
SIMULTANEOUSLY BY DETECTING ABSORPTION AND
SYSTEMS FOR USE IN SUCH A METHOD

**SECOND REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT
FOR PTO MISTAKE (37 CFR § 1.322(a)) AND FOR APPLICANT'S MISTAKE
(37 CFR § 1.323)**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450
ATTN: Decision and Certificate of Correction
Branch of the Patent Issue Division

Dear Sir:

It is noted that an error appears in this patent of a typographical nature or character, in the TITLE, as more fully described below. It occurred in good faith. Correction thereof does not involve such changes in the patent as would constitute new matter or would require re-examination. A Certificate of Correction is requested.

05/05/2005 AKELECH2 00000032 6788414

01 FC:1811

100.00 DP

=====

CERTIFICATE OF MAILING/TRANSMISSION (37 CFR 1.8(a))

I hereby certify that this correspondence is, on the date shown below, being:

MAILING

☒ deposited with the United States Postal Service with sufficient postage as First Class mail in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date:

May 2, 2005

FACSIMILE

☐ transmitted by facsimile to the Patent and Trademark Office, Art Unit 2877 at Fax No. (703) 872-_____.


EDMUND J. SEASE

Attached, in duplicate, is Form PTO-1050, with at least one copy being suitable for printing.

The exact page and line number where the errors are shown correctly in the application file are:

Page 1 (54) Title, of the original application mailed March 6, 2002; and page 3, line 13, page 4 lines 16 and 17 of the Amendment filed January 16, 2004.

Enclosed is a check in the amount of \$100.00, as required by 37 CFR §1.20(a). The Commissioner is hereby authorized to charge any additional fees required by this paper or credit any overpayment to Deposit Account No. 26-0084.

Please send the Certificate to: Edmund J. Sease, McKee, Voorhees & Sease, P.L.C., 801 Grand Avenue, Suite 3200, Des Moines, IA 50309-2721.

Respectfully submitted,



EDMUND J. SEASE, Reg. No. 24,741
McKEE, VOORHEES & SEASE, P.L.C.
801 Grand Avenue, Suite 3200
Des Moines, Iowa 50309-2721
Phone No. (515) 288-3667
CUSTOMER NO: 22885
Attorneys of Record

- bja -

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO : **6,788,414 B1**DATED : **September 7, 2004**INVENTOR(S) : **YEUNG, et al**

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(54):

**METHOD OF ANALYZING MULTIPLE SAMPLES SIMULTANEOUSLY BY DETECTING
ABSORPTION ANSAND SYSTEMS FOR USE IN SUCH A METHOD**

Column 41, line 66:

9. The method of claim [[8]] 4, wherein the cross-talk between

Column 42, line 18:

17. The method of claim [[16]] 21, wherein an optional filter is

Column 43, line 15:

multiple containers is about ~~18 x 10⁻⁸M~~ 1.8 x 10⁻⁸M.

MAILING ADDRESS OF SENDER:

PATENT NO. **6,788,414 B1**

Edmund J. Sease, Reg. No. 24,741
McKee, Voorhees & Sease, P.L.C.
801 Grand Avenue, Suite 3200
Des Moines, IA 50309-2721

No. of additional copies

page 1



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**PATENT NO : **6,788,414 B1**DATED : **September 7, 2004**INVENTOR(S) : **YEUNG, et al**

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

(54):

**METHOD OF ANALYZING MULTIPLE SAMPLES SIMULTANEOUSLY BY DETECTING
ABSORPTION ~~ANS~~ AND SYSTEMS FOR USE IN SUCH A METHOD**

Column 41, line 66:

9. The method of claim ~~[[8]]~~ 4, wherein the cross-talk between

Column 42, line 18:

17. The method of claim ~~[[16]]~~ 21, wherein an optional filter is

Column 43, line 15:

multiple containers is about ~~$18 \times 10^{-8} \text{M}$~~ $1.8 \times 10^{-8} \text{M}$.

MAILING ADDRESS OF SENDER:

PATENT NO. **6,788,414 B1**

Edmund J. Sease, Reg. No. 24,741
McKee, Voorhees & Sease, P.L.C.
801 Grand Avenue, Suite 3200
Des Moines, IA 50309-2721

No. of additional copies



page 1

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.